

## DENTAL IMPLANT WITH GRAFTING INFORMED CONSENT

\_\_\_\_\_  
Patient's Name

\_\_\_\_\_  
Date of Birth

This form and your discussion with your doctor are intended to help you make informed decisions about your surgery. As a member of the treatment team, you have been informed of your diagnosis, the planned procedure, the risks, benefits, and alternatives associated with the procedure, and any associated costs. You should consider all of the above, including the option of declining treatment, before deciding whether to proceed with the planned procedure. Your doctor will be happy to answer any questions you may have and provide additional information before you decide whether to sign this document and proceed with the procedure.

Diagnosis: \_\_\_\_\_

Procedure: \_\_\_\_\_

Alternative options: \_\_\_\_\_

\_\_\_\_\_  
If a crown, bridge, or denture is to be attached to the implant(s), this will be done by Dr.:

1. I have been informed of and understand the potential risks related to this surgical procedure include but are not limited to:
- Pain, swelling, bleeding, infection, bruising, delayed healing, scarring, damage to other teeth and/or roots that may result in the need for tooth repair or loss, loose tooth/teeth, damage to dental appliances, cracking and/or stretching of the corners of the mouth, cuts inside the mouth or on the lips, jaw fracture, stress or damage to the jaw joints (TMJ), difficulty in opening the mouth or chewing, allergic and/or adverse reaction to medications and/or materials;
  - Nerve injury, which may occur from the surgical procedure and/or the delivery of local anesthesia, resulting in altered or loss of sensation, numbness, pain, or altered feeling in the face, cheek(s), lips, chin, teeth, gums, and/or tongue (including loss of taste). Such conditions may resolve over time, but in some cases may be permanent;
  - An opening may occur from the mouth into the nasal or sinus cavities;
  - Inability to place the implant due to the local anatomy; Implant failure;
  - Discoloration and appearance changes of the gum tissue; Unsatisfactory cosmetic result;
  - Jaw fracture;

Patient's Initials \_\_\_\_\_

- Bone loss around the implant(s) and/or adjacent teeth; I understand that bone grafting may be necessary.

**GRAFT/SINUS LIFT**

The graft will be taken from (anatomic location) or will be banked bone or bone substitute:

---

The graft will be placed: \_\_\_\_\_

I understand this graft involves additional potential risks, including but not limited to:

- Nerve injury in the place the graft was taken from or where the graft is placed resulting in altered or loss of sensation, numbness, pain, or changed feeling in the lips, chin, teeth, gums, and/or tongue (including loss of taste). Such conditions may resolve over time, but in some cases may be permanent;
- Failure, loss, infection, or rejection of the graft or membranes used to contain the graft;
- An opening may occur from the mouth into the nasal or sinus cavities;
- If I have elected a banked bone or bone substitute graft, I understand there is a rare chance of disease spread from the processed bone.

2. I have elected to proceed with the anesthesia(s) indicated below.

\_\_\_\_\_ Local Anesthesia

\_\_\_\_\_ Nitrous Oxide (Laughing Gas)

\_\_\_\_\_ Mild Sedation

\_\_\_\_\_ Moderate Sedation

\_\_\_\_\_ Deep Sedation (General Anesthesia)

I have been informed of and understand the potential risks associated with anesthesia include but are not limited to:

- Allergic or adverse reactions to medications or materials;
- Pain, swelling, redness, irritation, numbness and/or bruising in the area where the IV needle is placed. Usually the numbness or pain goes away, but in some cases, it may be permanent;
- Nausea, vomiting, disorientation, confusion, lack of coordination, and occasionally prolonged drowsiness. Some patients may have an awareness of some or all events of the surgical procedure after it is over;
- Heart and breathing complications that may lead to brain damage, stroke, heart attack (cardiac arrest) or death;
- Sore throat or hoarseness if a breathing tube is used.

If I have elected Mild, Moderate, or Deep Sedation (General Anesthesia), I have not had anything to eat or drink for at least six (6) hours prior to my procedure. I understand that doing otherwise may be life-threatening. As instructed, I have taken my regular medications (blood pressure medications, antibiotics, etc.) and/or any medicine given to me by my doctor using only small sips of water. I am accompanied by a responsible adult to drive me to and from the doctor's office and he/she will stay with me after the procedure until I am recovered sufficiently to care for myself. I understand the drugs given to me for this procedure may not wear off for 24 hours. During my recovery from anesthesia, I agree not to drive, operate complicated machinery or devices, or make important decisions such as signing documents, etc.

3. I have been informed of and understand that follow up visits or care, additional evaluation, treatment or surgery, and/or hospitalization may be needed.

4. Patient's Responsibilities

Patient's Initials \_\_\_\_\_

